

Plastic Protector
Protectores Plásticos

HAND
MANUALES

Z-SERIES

TITANIUM
DE TITANIO

ACCESSORIES
ACCESORIOS

SCREWDRIVERS
DESTORNILLADORES

IMPACT
DE IMPACTO

SLEEVE-DRIVE

INDUSTRIAL
INDUSTRIALES

PROTECTOR
PROTECTORES

AUTOMOTIVE

RENEWAL KITS
JUEGOS DE PIEZAS REPUESTO
CONSTRUCCIÓN



Safety


Turnable plastic protector increases operator's safety during assembly process.



Scratch proof


Protector helps to reduce the possibility giving damage on painted, polished and sensitive surfaces. Protector is free rotation designed.

Protector series are make-to-order manufacturing



3/8" 1/2" Plastic Protector Protectores Plásticos


	13400M (FR)	D ₁ (mm)	D ₂ (mm)	ℓ (mm)	L (mm)	⚖️ (g)
New	8FR	15.7	22	6	33.3	40
New	10FR	18.2	22	7	33.3	40
New	12FR	20.8	22	9	33.3	43
New	14FR	23.6	25	10	33.3	56
New	13FR	21.8	25	10	33.3	56
New	16FR	26.1	25	11	33.3	57
New	17FR	27.3	25	12	33.3	60



13400M-FR 6-point Sockets Vasos Hexagonales




	13760 (FR)	D (mm)	L (mm)	⚖️ (g)
New	125P.FR	26.2	125	145
New	250P.FR	26.2	250	220



13760-125P.FR/-250P.FR Extension Bars Alargaderas




	14400M (FR)	D ₁ (mm)	D ₂ (mm)	ℓ (mm)	L (mm)	⚖️ (g)
New	10FR	19.5	28	7	39.3	90
New	12FR	22	28	9	39.3	90
New	13FR	23.2	28	10	39.3	90
New	14FR	24.8	28	11	39.3	90
New	16FR	27	33	10	39.3	135
New	17FR	28.2	33	12	39.3	135
New	19FR	31	33	13	39.3	130



14400M-FR 6-point Sockets Vasos Hexagonales



	14760 (FR)	D (mm)	L (mm)	⚖️ (g)
New	125P.FR	34.2	125	280
New	250P.FR	34.2	250	480



14760-125P.FR/-250P.FR Extension Bars Alargaderas



HAND
MANUALES

Z-SERIES

TITANIUM
DE TITANIO

ACCESSORIES
ACCESORIOS

SCREWDRIVERS
DESTORNILLADORES

IMPACT
DE IMPACTO

SLEEVE-DRIVE

INDUSTRIAL
INDUSTRIALES

PROTECTOR
PROTECTORES

AUTOMOTIVE


CONSTRUCTION
CONSTRUCCION

RENEWAL KITS
JUEGOS DE PIEZAS REPUESTO

115G-100FR/-150FR/-200FR



Nut Setters with Sliding Magnet
Vasos para tuercas con Imán Corredizo



115G-100 (FR)		D (mm)	ℓ (mm)	H (mm)	L (mm)	⚖ (g)
New	8FR	15.1	4	26	100	55
New	10FR	16.9	4.5	26	100	60
New	12FR	19.3	6	26	100	80
New	14FR	21.3	7	24	100	85

115G-150 (FR)		D (mm)	ℓ (mm)	H (mm)	L (mm)	⚖ (g)
New	8FR	15.1	4	26	150	75
New	10FR	16.9	4.5	26	150	80
New	12FR	19.3	6	26	150	100
New	14FR	21.3	7	24	150	110

115G-200 (FR)		D (mm)	ℓ (mm)	H (mm)	L (mm)	⚖ (g)
New	8FR	15.1	4	26	200	90
New	10FR	16.9	4.5	26	200	100
New	12FR	19.3	6	26	200	125
New	14FR	21.3	7	24	200	135

REPLACEMENT

Remove a damaged Protector and put a new Protector on Socket / Extension bar by pressing.
For your safety, worn out or cracked Protector must be replaced.



Specifications or design of any product in this catalogue are subject to change without notice.

Las especificaciones o el diseño de cualquiera de los productos de este catálogo están sujetos a cambio sin previo aviso.

HAND MANUALES
Z-SERIES
TITANIUM DE TITANIO
ACCESSORIES ACCESORIOS
SCREWDRIVERS DESTORNILLADORES
IMPACT DE IMPACTO
SLEEVE-DRIVE
INDUSTRIAL INDUSTRIALES
PROTECTOR PROTECTORES
AUTOMOTIVE
RENEWAL KITS CONSTRUCTION CONSTRUCCIÓN
JUEGOS DE PIEZAS REPUESTO