(111111)	(11111)	(111111)	(111111)	(''''')	(9)	(pcs.)
5.5	8.5	17	3.5	19	16	10
6	9.1	17	3.5	19	17	10
7	10.3	17	3.5	19	17	10
8	11.5	17	4.5	20	17	10
10	14	17	4.5	20	18	10
11	15.3	17	5.5	21	18	10
12	16.5	17	5.5	21	19	10
13	17.8	17	8.5	21	19	10
14	19	17	8.5	21	20	10
15	20.2	18.2	8.5	21	24	10
16	21.3	19.3	8.5	21	28	10
17	22.5	20.5	8.5	21	32	10
18	23.6	21.6	9.5	22	38	10
19	24.8	22.8	9.5	22	41	10
21	27	25	10.5	23	51	10
22	28.3	26.3	10.5	23	58	10

3400MZ is designed 5-9mm shorter than standard 3400M. Ideal for working in confined and tight areas.

RS3400MZ/8 8, 10, 11,	8 Pieces Set/Rail 200mm	ДД (g) 320
RS3400MZ/12	12 Pieces Set/Rail 300mm	ДД (g)
7, 8, 10, 11, 12, 1	13, 14, 15, 16, 17, 18, 19	490

	3300XZ (mm)	D <sub>1</sub> (mm)	D <sub>2</sub> (mm)	l (mm)	H (mm)	L (mm)	₫∄ (g)	(pcs.)
New	7	10.3	17	8	23	35	23	10
New	8	11.5	17	9	23	35	24	10
New	10	14	17	11	23	35	26	10
New	11	15.3	17	12	23	35	28	10
New	12	16.5	17	13	23	35	29	10
New	13	17.8	17	14	23	35	32	10
New	14	19	17	16	23	35	34	10
New	15	20.2	18.2	16	23	35	40	10
New	16	21.3	19.3	16.5	23	35	45	10
New	17	22.5	20.5	16.5	23	35	50	10
New	18	23.6	21.6	16.5	23	35	56	10
New	19	24.8	22.8	18	23	35	60	10

RS3300XZ/8	8 Pieces Set/Rail 200mm	Ø) (g)			
New 8, 10, 11,	8, 10, 11, 12, 13, 14, 17, 19				
RS3300XZ/12	12 Pieces Set/Rail 300mm	(g)			
7 8 10 11 12	13, 14, 15, 16, 17, 18, 19	630			

#### 3400MZ () 6-point Sockets Vasos Hexagonales



## RS3400MZ/8 RS3400MZ/12




Socket Set on Rail
Juego de Vasos en Regleta



## 3300XZ



6-point Sockets, Semi-Deep Vasos Hexagonales, Medianos





## RS3300XZ/8 RS3300XZ/12



Socket Set on Rail Juego de Vasos en Regleta








Manufacturing tolerance is precisely controlled to achieve a secure fitting.

3300MZ O 6-point Deep Sockets Vasos Hexagonales Largos





RS3300MZ/8 Socket Set on Rail Juego de Vasos en Regleta RS3300MZ/12



RS3X00MZ/12 Socket Set on Rail Juego de Vasos en Regleta






3300CZ Spark Plug Sockets with Spring Clips Llaves de Bujía con Presillas





Spark Plug Socket with Magnet, 12-pt. opening Llaves de bujía con Imán, Boca Bihex 3305PZ ()






3300MZ (mm)	D <sub>1</sub> (mm)	D <sub>2</sub> (mm)	l (mm)	H (mm)	L (mm)	∆ d d d d d d d d d d d d d d d d d d d	(pcs.)
7	10.3	17	8	41.5	55	29	10
8	11.5	17	9	41.5	55	34	10
10	14	17	11	41.5	55	43	10
11	15.3	17	12	41.5	55	45	10
12	16.5	17	13	41.5	55	49	10
13	17.8	17	14	41.5	55	52	10
14	19	17	16	41.5	55	55	10
15	20.2	18.2	16	40.5	55	65	10
16	21.3	19.3	17	40.5	55	74	10
17	22.5	20.5	18	40.5	55	83	10
18	23.6	21.6	19	39.5	55	90	10
19	24.8	22.8	20	39.5	55	95	10

RS3300MZ/8	8 Pieces Set/Rail 200mm	Ø∑ (g)
8, 10, 11, 12, 1	600	
RS3300MZ/12	12 Pieces Set/Rail 300mm	(g) <u>T</u> Z
7, 8, 10, 11, 12, 13, 1	4, 15, 16, 17, 18, 19	900

RS3X00M	Z/12 12 Pieces Set/Rail 300mm	₫Ъ (g)
3400MZ	8, 10, 11, 12, 13, 14, 17, 19	550
3300MZ	8, 10, 12, 14	550



## **BALL HOLDING GROOVE**

Original Ball Holding system is applied on Z-series. This mechanism gives secure connection between Socket and Handle.

3300CZ (mm)	D (mm)	ل (mm)	L (mm)	₫¼ (g)	(pcs.)
14	18.4	11	70	67	10
16	20.5	13	70	71	10
18	22.9	12	70	75	10
20.8	26.3	13.5	70	105	10

Slim & light weight body with smaller outside diameter for work in tight spaces.

	3305PZ (mm)	D (mm)	ل (mm)	L (mm)	₫₫ (g)	(pcs.)
New	14	17.9	8	70	56	10
New	16	20	8	70	55	10

Spark Plug Socket with Magnet, 12-pt. opening: size 14mm






Socket Set on Rail Juego de Vasos en Regleta

3010MZ-50 · -75 ● Inhex Bit Sockets Vasos con Punta Hexagonal








	3010MZ.75 (mm)	D (mm)	d (mm)	H (mm)	L (mm)	₫Д (g)	(pcs.)
New	3	17	6	48.5	75	33	10
New	4	17	6	48.5	75	35	10
New	5	17	6	48.5	75	36	10
New	6	17	7	48.5	75	41	10
New	7	17	7.9	48.5	75	45	10
New	8	17	-	48.5	75	48	10
New	10	17	-	48.5	75	65	10
New	12	19	_	48.5	75	90	10

RS3010MZ/8-L75 8 Pieces Set/Rail 200mm (9)	RS3010MZ/8-L50	8 Pieces Set/Rail 200mm 4, 5, 6, 7, 8, 10, 12	Д°Д (g) 460
3 4 5 6 7 8 10 12 530		8 Pieces Set/Rail 200mm	₫¼ (g) 530

# RS3010MZ/8-L50 • ..... RS3010MZ/8-L75








	3025Z.75 (T)	D (mm)	d (mm)	H (mm)	L (mm)	₫₫ (g)	(pcs.)
New	T20	17	4.5	48.5	75	32	10
New	T25	17	5	48.5	75	33	10
New	T27	17	5	48.5	75	33	10
New	T30	17	5.6	48.5	75	35	10
New	T40	17	6.7	48.5	75	41	10
New	T45	17	7.9	48.5	75	45	10
New	T50	17	8.9	48.5	75	55	10
New	T55	19	11.3	48.5	75	80	10

RS3025Z/8-L50	8 Pieces Set/Rail 200mm	₫Д (g)
T20, T25 ,T27, T	30, T40, T45, T50, T55	450
RS3025Z/8-L75	8 Pieces Set/Rail 200mm	Æ∄ (g)
New T20, T25, T27, T	30, T40, T45, T50, T55	480

# RS3025Z/8-L50 (\*)





Socket Set on Rail Juego de Vasos en Regleta



**3726Z** 28

\* Renewal Kits - 3725RK - P286

24.5

13.7 178 317 1



3768Z-250


Hinge Handle Mango Articulado



	D (mm)	L (mm)	₫∄ (g)	(pcs.)
3768Z-250	20.5	250	309	2


\* Renewal Kits → 3768ZRK → P288

Extension Bars Alargaderas 3760Z-75 · -125 · -250



3760Z	D (mm)	L (mm)	₫∄ (g)	(pcs.)
75	17.5	75	66	10
125	17.5	125	103	10
250	17.5	250	195	5

	D (mm)	L (mm)	△7∆ (g)	(pcs.)
3771Z	18	42.5	44	10




	D (mm)	L (mm)	ДД (g)	(pcs.)
37567	28	25	40	10

Outside diameter is smaller compared to standard 3756. Ideal for working in combination with 3725Z



3322AZ-75	17.5	75	42	10	
3300MZ-10 3322AZ-	22	322AZ-75 100MZ-10	<b>o</b>	L	D 3/8"





Quick Spinner Disco de Giro Rápido 3756Z



Extension Adaptor Adaptador Alargadera 3322AZ-75



3285Z Socket Set Juego de Vasos



3285ZA Socket Set Juego de Vasos




3285ZE Socket Set Juego de Vasos

RSAL200-1/4×12 · -3/8×8 RSAL300-3/8×12 · -1/2×10



RSAL-200 · -300 CLIP.P/5-1/4 · -3/8 · -1/2





328		15 Pieces S	6et/∄"∄=750g
PLAST	TC TRAY:W300×T90×H25		
	Sockets	Accessorie	s
0	<b>3400MZ</b> 6-pt. Sockets 5.5, 6, 7, 8, 10, 12, 13, 14, 17, 19, 21, 22		3725Z 3756Z 3771Z
		EE4IL	07712

3285ZE	9 Pieces Set/∰∑=600g
Rail 200mm/PLASTIC BAG	
Sockets	Accessories
3400MZ 6-pt. Sockets 8, 10, 12, 13, 14, 17, 19	3725Z
	₫ <b>1</b> 3756Z

RSAL200	$\square$	RAIL (mm)	CLIP (pcs.)	₫Д (g)	(pce.)
1/4×12	1/4"	200	12	125	1
3/8×8	3/8"	200	8	130	1

RSAL300		RAIL (mm)	CLIP (pcs.)	Æ∄ (g)	
3/8×12	3/8"	300	12	180	1
1/2×10	1/2"	300	10	190	1



### RAIL

	RAIL (mm)	(g)	(pce.)
RSAL200	200	110	1
RSAL300	300	145	1

#### CLIP

OLIF			
CLIP.P/5	Ø	₫₫ (g)	∭ (pcs.)
1/4	1/4"	10	5
3/8	3/8"	13	5
1/2	1/2"	20	5